

Refine Search

Search Results -

Terms	Documents
kernel with (memor\$3 or buffer\$3 or queu\$4) with pool\$3	78

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L32	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> Refine Search
<input style="width: 100px; height: 20px; border: 1px solid black; border-radius: 10px; padding: 2px 10px; margin-right: 10px;" type="button" value="Recall Text"/> <input style="width: 100px; height: 20px; border: 1px solid black; border-radius: 10px; padding: 2px 10px;" type="button" value="Clear"/>		<input style="width: 100px; height: 20px; border: 1px solid black; border-radius: 10px; padding: 2px 10px;" type="button" value="Interrupt"/>

Search History

DATE: Wednesday, March 24, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u>
side by side		result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L32</u> kernel with (memor\$3 or buffer\$3 or queu\$4) with pool\$3	78	<u>L32</u>
<u>L31</u> kernel same (memor\$3 or buffer\$3 or queu\$4) same pool\$3	162	<u>L31</u>
<u>L30</u> kernel same ((buffer\$3 or queue\$3 or pointer) adj2 list)	56	<u>L30</u>
<u>L29</u> kernel same ((buffer\$3 or queue\$3) adj3 list)	47	<u>L29</u>
<u>L28</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) same pin\$4	12	<u>L28</u>
<u>L27</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) same (block\$1 or memory) same pin\$4)	7	<u>L27</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L26</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) same (block\$1 or memory) same pin\$4)	1	<u>L26</u>
<u>L25</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) same (block\$1 or memory) samepin\$4)	84	<u>L25</u>
<u>L24</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) with (block\$1 or memory) with pin\$4)	0	<u>L24</u>
<u>L23</u> kernel same ((contiguous\$2 or non-contiguous\$2 or noncontiguous\$2) with	55	<u>L23</u>

(block\$1 or memory))

<u>L22</u>	114 same kernel	0	<u>L22</u>
<u>L21</u>	114 and kernel	13	<u>L21</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L20</u>	15 and 16	0	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L19</u>	15 and 16	0	<u>L19</u>
<u>L18</u>	((kernel or kmem) with (alloc\$5 or free\$3 or table or releas\$3))	1741	<u>L18</u>
<u>L17</u>	kernel same pag\$3	877	<u>L17</u>
<u>L16</u>	kernel same (buddy or buddybuffer\$3)	1	<u>L16</u>
<u>L15</u>	(kernel with (releas\$3 or un-allocat\$3 or unallocat\$3 or reallocat\$3 or re-allocat\$3) with (memor\$3 or pin\$4))	28	<u>L15</u>
<u>L14</u>	((link-list\$3 or linked-list\$3 or linking-list\$3 or linklist\$3 or linkedlist\$3 or linkinglist\$3 or (link\$3 adj3 list\$3)) with pin\$4)	40	<u>L14</u>
<u>L13</u>	((link-list\$3 or linked-list\$3 or linking-list\$3 or linklist\$3 or linkedlist\$3 or linkinglist\$3) with pin\$4)	10	<u>L13</u>
<u>L12</u>	kernel and ((link-list\$3 or linked-list\$3 or linking-list\$3 or linklist\$3 or linkedlist\$3 or linkinglist\$3) with pin\$4)	0	<u>L12</u>
<u>L11</u>	kernel same ((link-list\$3 or linked-list\$3 or linking-list\$3 or linklist\$3 or linkedlist\$3 or linkinglist\$3) with pin\$4)	0	<u>L11</u>
<u>L10</u>	kernel same ((link\$3 adj3 list\$3) with pin\$4)	0	<u>L10</u>
<u>L9</u>	(kernel with pool)	93	<u>L9</u>
<u>L8</u>	(kernel with memory with pool)	33	<u>L8</u>
<u>L7</u>	((releas\$3 or un-allocat\$3 or unallocat\$3 or reallocat\$3 or re-allocat\$3) with pin\$4 with kernel)	2	<u>L7</u>
<u>L6</u>	(pin\$4 with kernel with memor\$3)	33	<u>L6</u>
<u>L5</u>	(dynamic\$4 with tun\$4 with memory)	83	<u>L5</u>
<u>L4</u>	(kernel same (buffer\$3 or queu\$4))	1321	<u>L4</u>
<u>L3</u>	(pin\$4 with memory)	11813	<u>L3</u>
<u>L2</u>	(pin\$4 with kernel)	307	<u>L2</u>
<u>L1</u>	(kernel adj3 memory adj3 space)	41	<u>L1</u>

END OF SEARCH HISTORY

Searches for User *bpeugh* (Count = 725)

Queries 1351 through 1400.

<input type="button" value="Find"/>	<input type="text"/>		
<input type="button" value="Latest"/>	<input type="button" value="Prev"/>	<input type="button" value="Next"/>	<input type="button" value="Oldest"/>
<input type="button" value="Edit"/>	<input type="button" value="Help"/>	<input type="button" value="Return"/>	

S #	Updt	Database	Query	Time	Commer
<u>S725</u>	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(free\$3 or releas\$3 or re-leas\$3 or dealloc\$5 or de-alloc\$5) with (pin\$4 adj5 pool)	2004-04-02	10:20:47
<u>S724</u>	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(free\$3 or releas\$3 or re-leas\$3 or dealloc\$5 or de-alloc\$5) with pin\$4 with (memory or pool)	2004-04-02	10:20:13
<u>S723</u>	U	PGPB,USOC,EPAB,JPAB,DWPI,TDBD	(free\$3 or releas\$3 or re-leas\$3 or dealloc\$5 or de-alloc\$5) with (pin\$3 adj2 memory)	2004-04-02	10:10:17
<u>S722</u>	U	USPT	(free\$3 or releas\$3 or re-leas\$3 or dealloc\$5 or de-alloc\$5) with (pin\$3 adj2 memory)	2004-04-02	09:54:34
<u>S721</u>	U	USPT	6247105.pn. and (free\$3 or releas\$3 or re-leas\$3 or dealloc\$5 or de-alloc\$5)	2004-04-02	09:42:34
<u>S720</u>	U	USPT	6247105.pn. and (free\$3 or releas\$3 or re-leas\$3)	2004-04-02	09:38:30
<u>S719</u>	U	USPT	6247105.pn.	2004-04-02	09:38:10
<u>S718</u>	U	USPT	711/104,105,106,167,169.ccls. or 365/222,189.01,200,193.ccls. and (refresh\$3 adj2 (periodic\$4 or every) adj4 (slot\$1 or cycle\$1))	2004-03-30	09:05:47
<u>S717</u>	U	USPT	711/104,105,106,167,169.ccls. or 365/222,189.01,200,193.ccls.	2004-03-30	09:05:04
<u>S716</u>	U	USPT	365/222,189.01,200,193.ccls.	2004-03-30	09:04:59